




12'(H) x 8'(W) x 12'(D)

KITCHEN

Fiilex

FLX-R-120812-
Kitchen-210223A


SPACE



Usage

Ceiling Height - 12'
Area Used - 8' X 12'
Electrical - 120V AC


LIGHTING LAYOUT



- 1 12 ft TRACK (2x)
8 ft TRACK (2x)
- 2 L-COUPLER (3x)
- 3 LIVE END (1x)
- 4 END CAP (1x)
- 5 Fiilex Wall Controller
- 6 T360 PP (3x)
- 7 T360 PP w/2" Fresnel (7x)

Track Design – 8' x 12' (Rectangle)
Max Power Consumption – 850W
Control – DMX (Fiilex Wall Controller)


SIDE VIEW




Recommended front light tilt angle is between 30 ° - 60 °

LIGHTING BREAKDOWN



Tilt



Rotation 



ILLUMINANCE VALUES





Recommended illuminance at Talent > 120 fc

HEAT MAP


Before



After



ABOUT FILEX T360 PRO PLUS



- Compact Fixture for Any Setting
- Cine-Grade Light Quality
- Tunable CCT to Match Ambient Lighting
- Tunable Hue to Enhance Skin Tone in Video
- Shape and Isolate Light with Barndoors
- Low Installation Cost and Easy to Implement