



**9'(H) x 8'(W) x 3'(D)**


**STAGE**

**Fiilex**

FLX-L-090803-  
STAGE-2100720A

# SPACE

## TOP VIEW



## Usage


Ceiling Height - 9'

Area Used - 8' X 12'

Electrical - 120V AC




# LIGHTING BREAKDOWN 1 - “One talent”





Recommended light tilt angle is 30 - 45°

# SIDE VIEW 1 - "One talent"



# ILLUMINANCE VALUES 1 - “ One talent”






Recommended illuminance at speaker > 150 fc

# HEAT MAP 1 - "One talent"


Before



After




# LIGHTING BREAKDOWN 2 - “Two talents”




Recommended light tilt angle is 30 - 45°



# SIDE VIEW 2 - "Two talents"



# ILLUMINANCE VALUES 1 - “One talent”





Recommended illuminance at speaker > 150 fc

# HEAT MAP 2 - "Two talents"


Before



After



# ABOUT FILEX T360 PRO PLUS



- Compact Fixture for Any Setting
- Cine-Grade Light Quality
- Tunable CCT to Match Ambient Lighting
- Tunable Hue to Enhance Skin Tone in Video
- Shape and Isolate Light with Barndoors
- Low Installation Cost and Easy to Implement