



K10-MOTOYoke / MOTOK40 DMX Mapping

Firmware Version: **K10 MotoYoke CB 5.0 or newer / MOTOK40 CB 5.0 or newer**

Control The Control Channel consolidates extraneous parameters in all non-EZ modes	
DMX Value	Parameter
0 - 9	Keep current settings. No change
10 - 19	Motor Enable (default) (20 packets)
20 - 29	Motor Disable (20 packets)
30 - 39	Motor speed slow (20 packets)
40 - 49	Motor speed fast (default) (20 packets)
50 - 59	Reserved TBD
60 - 69	Reserved TBD
70 - 79	Screen Flip Up (default) (20 packets)
80 - 89	Screen Flip Down (20 packets)
90 - 99	Reserved TBD
100 - 109	seq_px_dim Enable (20 packets)
110 - 119	seq_px_dim Disable (default) (20 packets)
120 - 129	Intensity Curve Gamma (default) (20 packets)
130 - 139	Intensity Curve Linear (20 packets)
140 - 149	Dimming Smooth (20 packets)
150 - 159	Dimming Sharp (20 packets)
160 - 169	White point 6500K (default) (20 packets)
170 - 179	White point 5600K (20 packets)
180 - 189	White point 3200K (20 packets)
190 - 199	Reserved TBD
200 - 209	Fan Silent
210 - 219	Fan Auto (Fixture auto adjusts)
220 - 229	Fan Full Speed
230 - 239	Fan Off
240 - 249	Reserved TBD
250 - 255	Reserved TBD

Standard Modes

Mode	8-bit (DMX Footprint)	16-bit (DMX Footprint)	Page
MOTO	N/A	Mode 200 (8)	<u>6</u>
MOTO CCT	Mode 201 (12)	Mode 209 (15)	<u>6</u>
MOTO HSI *	Mode 202 (12)	Mode 210 (15)	<u>7</u>
MOTO RGBW *	Mode 203 (14)	Mode 211 (19)	<u>7</u>
MOTO CIExy	Mode 206 (12)	Mode 214 (15)	<u>8</u>
MOTO GEL	Mode 207 (12)	Mode 215 (13)	<u>9</u>
MOTO RGB *	Mode 240 (12)	Mode 245 (15)	<u>10</u>

CCT Modes

CCT modes allow white point adjustment using the “CCT” and “Green Adjust” parameters.

MOTO CCTHSI **	Mode 204 (15)	Mode 212 (21)	<u>11</u>
MOTO CCTRGBW **	Mode 205 (17)	Mode 213 (25)	<u>12</u>
MOTO CCTxy ***	Mode 241 (15)	Mode 246 (21)	<u>13</u>

ICT Modes

ICT modes allow white point adjustment like CCT+ modes, but without a “Crossfade” parameter.

MOTO ICTHS **	Mode 242 (14)	Mode 247 (19)	<u>14</u>
MOTO ICTRGBW **	Mode 243 (16)	Mode 248 (23)	<u>15</u>
MOTO ICTxy ***	Mode 244 (14)	Mode 249 (19)	<u>16</u>

EZ Modes

EZ modes include no “Strobe Frequency” or “Control” parameters, shortening the DMX footprint.

MOTO EZ CCT	Mode 250 (9)	Mode 263 (12)	<u>17</u>
MOTO EZ HSI *	Mode 251 (9)	Mode 264 (12)	<u>17</u>
MOTO EZ RGBW *	Mode 252 (11)	Mode 265 (16)	<u>17</u>
MOTO EZ CCTHSI **	Mode 253 (12)	Mode 266 (18)	<u>18</u>
MOTO EZ CCTRGBW **	Mode 254 (14)	Mode 267 (22)	<u>18</u>
MOTO EZ CIExy	Mode 255 (9)	Mode 268 (12)	<u>19</u>
MOTO EZ RGB *	Mode 256 (9)	Mode 269 (12)	<u>19</u>
MOTO EZ CCTxy **	Mode 257 (12)	Mode 270 (18)	<u>19</u>
MOTO EZ ICTHS **	Mode 258 (11)	Mode 271 (16)	<u>20</u>
MOTO EZ ICTRGBW **	Mode 259 (13)	Mode 272 (20)	<u>20</u>
MOTO EZ ICTxy ***	Mode 260 (11)	Mode 273 (16)	<u>21</u>
MOTO EZ 3200K	Mode 261 (7)	Mode 274 (8)	<u>21</u>
MOTO EZ 5600K	Mode 262 (7)	Mode 275 (8)	<u>21</u>

ALL Modes

Mode	8-bit (DMX Footprint)	16-bit (DMX Footprint)	Page
ALL MODES	Mode 276 (17)	Mode 277 (25)	22

PXL4 Modes (DMX Control Only)

Mode	8-bit (DMX Footprint)	16-bit (DMX Footprint)	Page
MOTO PXL4 CCTHSI **	Mode 217 (33)	Mode 220 (57)	26
MOTO PXL4 CCTRGBW **	Mode 218 (41)	Mode 221 (73)	27
MOTO PXL4 CIExy	Mode 219 (21)	Mode 222 (33)	29
MOTO PXL4 CCTxy ***	Mode 280 (33)	Mode 284 (57)	30
MOTO PXL4 ICTHS **	Mode 281 (29)	Mode 285 (49)	31
MOTO PXL4 ICTRGBW **	Mode 282 (37)	Mode 286 (65)	32
MOTO PXL4 ICTxy ***	Mode 283 (29)	Mode 287 (49)	33
MOTO PXL4 EZ CCT	Mode 288 (18)	Mode 292 (30)	34
MOTO PXL4 EZ HSI *	Mode 289 (18)	Mode 293 (30)	35
MOTO PXL4 EZ RGBW	Mode 290 (26)	Mode 294 (46)	36
MOTO PXL4 EZ RGB *	Mode 291 (18)	Mode 295 (30)	37

PXL16 Modes (MOTOK40 Only, DMX Control Only)

Mode	8-bit (DMX Footprint)	16-bit (DMX Footprint)	Page
MOTO PXL16 CCTHSI **	Mode 300 (105)	Mode 303 (201)	39
MOTO PXL16 CCTRGBW **	Mode 301 (137)	Mode 304 (265)	41
MOTO PXL16 CIExy	Mode 302 (57)	Mode 305 (105)	44
MOTO PXL16 CCTxy ***	Mode 306 (105)	Mode 310 (201)	45
MOTO PXL16 ICTHS **	Mode 307 (89)	Mode 311 (169)	47
MOTO PXL16 ICTRGBW **	Mode 308 (121)	Mode 312 (233)	49
MOTO PXL16 ICTxy ***	Mode 309 (89)	Mode 313 (169)	51
MOTO PXL16 EZ CCT	Mode 314 (54)	Mode 318 (102)	53
MOTO PXL16 EZ HSI *	Mode 315 (54)	Mode 319 (102)	54
MOTO PXL16 EZ RGBW *	Mode 316 (86)	Mode 320 (166)	55
MOTO PXL16 EZ RGB *	Mode 317 (54)	Mode 321 (102)	57

Notes


- * HSI, RGBW, and RGB modes are based on a white point in the fixture menu (factory default at 6500K). For instance, with this option at its default, in HSI mode at 0% saturation or RGB mode with equal parts R, G, and B, the fixture produces 6500K white.
- ** Cross-fade enabled modes allow for fading between a white point (at 0% "XFADE") and another point in color space (at 100% "XFADE"). The "WP xFADE" option allows for these two points to be set to different white points.
 - Scenario 1:** With the "WP xFADE" setting disabled, the white point at all "XFADE" values share the same white point, set within the present mode via "CCT" and "Green Adjust" parameters.
 - Scenario 2:** With the "WP xFADE" setting enabled, the white point at 100% "XFADE" is set as the fixture white point, 0% "XFADE" is set within the present mode via "CCT" and "Green Adjust" parameters, and all intermediate points blend the two.
- *** In CCTxy and ICTxy modes, the "CCT" and "Green Adjust" parameters allow slight adjustment of the color temperature and tint for the selected "CIEx" and "CIEy" coordinates. To produce an output true to the CIEx and CIEy coordinates, set "CCT"=6500K and "Green Adjust"=0
- **** The "Hold DMX" setting determines a fixture's behavior when it stops receiving an active signal (hardline DMX, Ethernet, CRMX).
 - Scenario 1:** If signal input is lost when "Hold DMX" is "Disabled", the fixture intensity will revert to the value set by the knob position and on/off rocker.
 - Scenario 2:** If signal input is lost when "Hold DMX" is "Enabled", the fixture intensity will maintain its last value until the knob position is adjusted.
 - Scenario 3:** Regardless of the "Hold DMX" setting, if any active signal is present (Hardline DMX, Ethernet, CRMX, in descending priority) the fixture will adhere to the signal of highest priority.

MOTOK40

Ordering of Pixels

Seen from Front of Fixture


FRONT VIEW



Pan & Tilt Angle Definition


Pan Angle

BACK VIEW



Tilt Angle

SIDE VIEW




K10-MOTOYOKE

Ordering of Pixels

Seen from Front of Fixture


FRONT VIEW



Pan & Tilt Angle Definition


Pan Angle

BACK VIEW



Tilt Angle

SIDE VIEW



Mode 200 : MOTO , 16-bit

16-bit DMX	Function	8-bit/16-bit Value	Range
1-2	PAN	0 – 65,535	-270° – +270°
3-4	TILT	0 – 65,535	-150° – +150°
5-6	ZOOM (Not Supported)	0 – 65,535	0 – 100 (%)
7	Control	See control table	
8	Reserved	TBD	

Mode 201 (8-bit) / Mode 209 (16-bit) : MOTO CCT

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 – 255	0 – 65,535	0% – 100%
2	3-4	CCT	0 – 255	0 – 65,535	2000K – 10000K
3	5-6	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7	Strobe Frequency	0 – 9 10 – 255		Strobe off 1Hz - 25Hz
5-6	8-9	PAN	0 – 65,535		-270° – +270°
7-8	10-11	TILT	0 – 65,535		-150° – +150°
9-10	12-13	ZOOM (Not Supported)	0 – 65,535		0 – 100 (%)
11	14	Control	See control table		
12	15	Reserved	TBD		

Mode 202 (8-bit) / Mode 210 (16-bit) : MOTO HSI

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	Hue	0 - 255	0 - 65,535	0° - 360°
3	5-6	Saturation	0 - 255	0 - 65,535	0% - 100%
4	7	Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
5-6	8-9	PAN	0 - 65,535		-270° - +270°
7-8	10-11	TILT	0 - 65,535		-150° - +150°
9-10	12-13	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
11	14	Control	See control table		
12	15	Reserved	TBD		

Mode 203 (8-bit) / Mode 211 (16-bit) : MOTO RGBW

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	Intensity Red	0 - 255	0 - 65,535	0% - 100%
3	5-6	Intensity Green	0 - 255	0 - 65,535	0% - 100%
4	7-8	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
5	9-10	Intensity White	0 - 255	0 - 65,535	0% - 100%
6	11	Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
7-8	12-13	PAN	0 - 65,535		-270° - +270°
9-10	14-15	TILT	0 - 65,535		-150° - +150°
11-12	16-17	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
13	18	Control	See control table		
14	19	Reserved	TBD		

Mode 206 (8-bit) / Mode 214 (16-bit) : MOTO CIExy

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	x	0 - 255	0 - 65,535	0.0 - 0.8
3	5-6	y	0 - 255	0 - 65,535	0.0 - 0.8
4	7	Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
5-6	8-9	PAN	0 - 65,535		-270° - +270°
7-8	10-11	TILT	0 - 65,535		-150° - +150°
9-10	12-13	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
11	14	Control	See control table		
12	15	Reserved	TBD		

Mode 207 (8-bit) / Mode 215 (16-bit) : MOTO GEL

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 – 255	0 – 65,535	0% – 100%
2	3	Gel Filter	0 – 9 10 – 19 20 – 29 30 – 39 40 – 49 50 – 59 60 – 69 70 – 79 80 – 89 90 – 99 100 – 109 110 – 119 120 – 129 130 – 139 140 – 149 150 – 159 160 – 169 170 – 179 180 – 189 190 – 199 200 – 209 210 – 255	None Bastard Amber Straw Light Amber Light Flame Golden Amber Light Red No Color Pink Middle Rose Light Rose Purple Surprise Pink No Color Blue Daylight Blue Primary Blue Moss Green Blue Green Gel 1 Gel 2 Gel 3 Gel 4 Gel 5 Reserved	
3	4	CCT (Disabled for Gel 1-5)	0 – 99 100 – 255		3200K 6500K
4	5	Strobe Frequency	0 – 9 10 – 255		Strobe off 1Hz - 25Hz
5-6	6-7	PAN	0 – 65,535		-270° – +270°
7-8	8-9	TILT	0 – 65,535		-150° – +150°
9-10	10-11	ZOOM (Not Supported)	0 – 65,535		0 – 100 (%)
11	12	Control	See control table		
12	13	Reserved	TBD		

Mode 240 (8-bit) / Mode 245 (16-bit) : MOTO RGB

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Intensity Red	0 - 255	0 - 65,535	0% - 100%
2	3-4	Intensity Green	0 - 255	0 - 65,535	0% - 100%
3	5-6	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
4	7	Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
5-6	8-9	PAN	0 - 65,535		-270° - +270°
7-8	10-11	TILT	0 - 65,535		-150° - +150°
9-10	12-13	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
11	14	Control	See control table		
12	15	Reserved	TBD		

Mode 204 (8-bit) / Mode 212 (16-bit) : MOTO CCTHSI

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8	Crossfade	0 - 255	0 - 65,535	0% - 100%
5	9-10	Hue	0 - 255	0 - 65,535	0° - 360°
6	11-12	Saturation	0 - 255	0 - 65,535	0% - 100%
7	13	Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
8-9	14-15	PAN	0 - 65,535		-270° - +270°
10-11	16-17	TILT	0 - 65,535		-150° - +150°
12-13	18-19	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
14	20	Control	See control table		
15	21	Reserved	TBD		

Mode 205 (8-bit) / Mode 213 (16-bit) : MOTO CCTRGBW

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8	Crossfade	0 - 255	0 - 65,535	0% - 100%
5	9-10	Intensity Red	0 - 255	0 - 65,535	0% - 100%
6	11-12	Intensity Green	0 - 255	0 - 65,535	0% - 100%
7	13-14	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
8	15-16	Intensity White	0 - 255	0 - 65,535	0% - 100%
9	17	Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
10-11	18-19	PAN	0 - 65,535		-270° - +270°
12-13	20-21	TILT	0 - 65,535		-150° - +150°
14-15	22-23	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
16	24	Control	See control table		
17	25	Reserved	TBD		

Mode 241 (8-bit) / Mode 246 (16-bit) : MOTO CCTxy

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8	Crossfade	0 - 255	0 - 65,535	0% - 100%
5	9-10	x	0 - 255	0 - 65,535	0.0 - 0.8
6	11-12	y	0 - 255	0 - 65,535	0.0 - 0.8
7	13	Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
8-9	14-15	PAN	0 - 65,535		-270° - +270°
10-11	16-17	TILT	0 - 65,535		-150° - +150°
12-13	18-19	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
14	20	Control	See control table		
15	21	Reserved	TBD		

Mode 242 (8-bit) / Mode 247 (16-bit) : MOTO ICTHS

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8	Hue	0 - 255	0 - 65,535	0° - 360°
5	9-10	Saturation	0 - 255	0 - 65,535	0% - 100%
6	11	Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
7-8	12-13	PAN	0 - 65,535		-270° - +270°
9-10	14-15	TILT	0 - 65,535		-150° - +150°
11-12	16-17	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
13	18	Control	See control table		
14	19	Reserved	TBD		

Mode 243 (8-bit) / Mode 248 (16-bit) : MOTO ICTRGBW

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8	Intensity Red	0 - 255	0 - 65,535	0% - 100%
5	9-10	Intensity Green	0 - 255	0 - 65,535	0% - 100%
6	11-12	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
7	13-14	Intensity White	0 - 255	0 - 65,535	0% - 100%
8	15	Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
9-10	16-17	PAN	0 - 65,535		-270° - +270°
11-12	18-19	TILT	0 - 65,535		-150° - +150°
13-14	20-21	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
15	22	Control	See control table		
16	23	Reserved	TBD		

Mode 244 (8-bit) / Mode 249 (16-bit) : MOTO ICTxy

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8	x	0 - 255	0 - 65,535	0.0 - 0.8
5	9-10	y	0 - 255	0 - 65,535	0.0 - 0.8
6	11	Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
7-8	12-13	PAN	0 - 65,535		-270° - +270°
9-10	14-15	TILT	0 - 65,535		-150° - +150°
11-12	16-17	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
13	18	Control	See control table		
14	19	Reserved	TBD		

Mode 250 (8-bit) / Mode 263 (16-bit) : MOTO EZ CCT

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4-5	7-8	PAN	0 - 65,535		-270° - +270°
6-7	9-10	TILT	0 - 65,535		-150° - +150°
8-9	11-12	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 251 (8-bit) / Mode 264 (16-bit) : MOTO EZ HSI

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	Hue	0 - 255	0 - 65,535	0° - 360°
3	5-6	Saturation	0 - 255	0 - 65,535	0% - 100%
4-5	7-8	PAN	0 - 65,535		-270° - +270°
6-7	9-10	TILT	0 - 65,535		-150° - +150°
8-9	11-12	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 252 (8-bit) / Mode 265 (16-bit) : MOTO EZ RGBW

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	Intensity Red	0 - 255	0 - 65,535	0% - 100%
3	5-6	Intensity Green	0 - 255	0 - 65,535	0% - 100%
4	7-8	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
5	9-10	Intensity White	0 - 255	0 - 65,535	0% - 100%
6-7	11-12	PAN	0 - 65,535		-270° - +270°
8-9	13-14	TILT	0 - 65,535		-150° - +150°
10-11	15-16	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 253 (8-bit) / Mode 266 (16-bit) : MOTO EZ CCTHSI

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8	Crossfade	0 - 255	0 - 65,535	0% - 100%
5	9-10	Hue	0 - 255	0 - 65,535	0° - 360°
6	11-12	Saturation	0 - 255	0 - 65,535	0% - 100%
7-8	13-14	PAN	0 - 65,535		-270° - +270°
9-10	15-16	TILT	0 - 65,535		-150° - +150°
11-12	17-18	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 254 (8-bit) / Mode 267 (16-bit) : MOTO EZ CCTRGBW

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8	Crossfade	0 - 255	0 - 65,535	0% - 100%
5	9-10	Intensity Red	0 - 255	0 - 65,535	0% - 100%
6	11-12	Intensity Green	0 - 255	0 - 65,535	0% - 100%
7	13-14	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
8	15-16	Intensity White	0 - 255	0 - 65,535	0% - 100%
9-10	17-18	PAN	0 - 65,535		-270° - +270°
11-12	19-20	TILT	0 - 65,535		-150° - +150°
13-14	21-22	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 255 (8-bit) / Mode 268 (16-bit) : MOTO EZ CIE_{xy}

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	x	0 - 255	0 - 65,535	0.0 - 0.8
3	5-6	y	0 - 255	0 - 65,535	0.0 - 0.8
4-5	7-8	PAN	0 - 65,535		-270° - +270°
6-7	9-10	TILT	0 - 65,535		-150° - +150°
8-9	11-12	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 256 (8-bit) / Mode 269 (16-bit) : MOTO EZ RGB

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Intensity Red	0 - 255	0 - 65,535	0% - 100%
2	3-4	Intensity Green	0 - 255	0 - 65,535	0% - 100%
3	5-6	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
4-5	7-8	PAN	0 - 65,535		-270° - +270°
6-7	9-10	TILT	0 - 65,535		-150° - +150°
8-9	11-12	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 257 (8-bit) / Mode 270 (16-bit) : MOTO EZ CCT_{xy}

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8	Crossfade	0 - 255	0 - 65,535	0% - 100%
5	9-10	x	0 - 255	0 - 65,535	0.0 - 0.8
6	11-12	y	0 - 255	0 - 65,535	0.0 - 0.8
7-8	13-14	PAN	0 - 65,535		-270° - +270°
9-10	15-16	TILT	0 - 65,535		-150° - +150°
11-12	17-18	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 258 (8-bit) / Mode 271 (16-bit) : MOTO EZ ICTHS

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8	Hue	0 - 255	0 - 65,535	0° - 360°
5	9-10	Saturation	0 - 255	0 - 65,535	0% - 100%
6-7	11-12	PAN	0 - 65,535		-270° - +270°
8-9	13-14	TILT	0 - 65,535		-150° - +150°
10-11	15-16	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 259 (8-bit) / Mode 272 (16-bit) : MOTO EZ ICTRGBW

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8	Intensity Red	0 - 255	0 - 65,535	0% - 100%
5	9-10	Intensity Green	0 - 255	0 - 65,535	0% - 100%
6	11-12	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
7	13-14	Intensity White	0 - 255	0 - 65,535	0% - 100%
8-9	15-16	PAN	0 - 65,535		-270° - +270°
10-11	17-18	TILT	0 - 65,535		-150° - +150°
12-13	19-20	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 260 (8-bit) / Mode 273 (16-bit) : MOTO EZ ICTxy

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8	x	0 - 255	0 - 65,535	0.0 - 0.8
5	9-10	y	0 - 255	0 - 65,535	0.0 - 0.8
6-7	11-12	PAN	0 - 65,535		-270° - +270°
8-9	13-14	TILT	0 - 65,535		-150° - +150°
10-11	15-16	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 261 (8-bit) / Mode 274 (16-bit) : MOTO EZ 3200K

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2-3	3-4	PAN	0 - 65,535		-270° - +270°
4-5	5-6	TILT	0 - 65,535		-150° - +150°
6-7	7-8	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 262 (8-bit) / Mode 275 (16-bit) : MOTO EZ 5600K

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2-3	3-4	PAN	0 - 65,535		-270° - +270°
4-5	5-6	TILT	0 - 65,535		-150° - +150°
6-7	7-8	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 276 (8-bit) / Mode 277 (16-bit) : ALL MODES

8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range
1	1-2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3	Color Mode Selection	0 - 9 10 - 19 20 - 29 30 - 39 40 - 49 50 - 59 60 - 69 70 - 79 80 - 89 90 - 99 100 - 109 110 - 119 120 - 129 130 - 255		CCT HSI RGBW CCTHSI CCTRGBW CIExy GEL DEMO RGB CCTxy ICTHS ICTRGBW ICTxy Reserved
3	4-5	Color Parameter 1	See table below		
4	6-7	Color Parameter 2			
5	8-9	Color Parameter 3			
6	10-11	Color Parameter 4			
7	12-13	Color Parameter 5			
8	14-15	Color Parameter 6			
9	16-17	Color Parameter 7			
10	18	Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
11-12	19-20	PAN	0 - 65,535		-270° - +270°
13-14	21-22	TILT	0 - 65,535		-150° - +150°
15-16	23-24	ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
17	25	Control	See control table		

Mode 276 (8-bit) / Mode 277 (16-bit) : ALL MODES (continued 1)

		CCT				HSI			
8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range	Function	8-bit/16-bit Value		Range
3	4-5	CCT	0 - 255	0 - 65,535	2000K - 10000K	Hue	0 - 255	0 - 65,535	0° - 360°
4	6-7	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)	Saturation	0 - 255	0 - 65,535	0% - 100%
		RGBW				RGB			
8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range	Function	8-bit/16-bit Value		Range
3	4-5	INT Red	0 - 255	0 - 65,535	0% - 100%	INT Red	0 - 255	0 - 65,535	0% - 100%
4	6-7	INT Green	0 - 255	0 - 65,535	0% - 100%	INT Green	0 - 255	0 - 65,535	0% - 100%
5	8-9	INT Blue	0 - 255	0 - 65,535	0% - 100%	INT Blue	0 - 255	0 - 65,535	0% - 100%
6	10-11	INT White	0 - 255	0 - 65,535	0% - 100%				
		CCTRGBW				CCTHSI			
8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range	Function	8-bit/16-bit Value		Range
3	4-5	CCT	0 - 255	0 - 65,535	2000K - 10000K	CCT	0 - 255	0 - 65,535	2000K - 10000K
4	6-7	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
5	8-9	Crossfade	0 - 255	0 - 65,535	0% - 100%	Crossfade	0 - 255	0 - 65,535	0% - 100%
6	10-11	INT Red	0 - 255	0 - 65,535	0% - 100%	Hue	0 - 255	0 - 65,535	0° - 360°
7	12-13	INT Green	0 - 255	0 - 65,535	0% - 100%	Saturation	0 - 255	0 - 65,535	0% - 100%
8	14-15	INT Blue	0 - 255	0 - 65,535	0% - 100%				
9	16-17	INT White	0 - 255	0 - 65,535	0% - 100%				
		CCTxy				ICTHS			
8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range	Function	8-bit/16-bit Value		Range
3	4-5	CCT	0 - 255	0 - 65,535	2000K - 10000K	CCT	0 - 255	0 - 65,535	2000K - 10000K
4	6-7	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
5	8-9	Crossfade	0 - 255	0 - 65,535	0% - 100%	Hue	0 - 255	0 - 65,535	0° - 360°
6	10-11	x	0 - 255	0 - 65,535	0.0 - 0.8	Saturation	0 - 255	0 - 65,535	0% - 100%
7	12-13	y	0 - 255	0 - 65,535	0.0 - 0.8	Reserved	TBD		

		GEL				DEMO			
8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range	Function	8-bit/16-bit Value		Range
3	4-5	Gel Filter	0 – 9		None	Demo Selection	0 – 9		No effect(Stop Effect)
			10 – 19		Bastard Amber		10 – 19		Candle
			20 – 29		Straw		20 – 29		Club light
			30 – 39		Light Amber		30 – 39		Color chase
			40 – 49		Light Flame		40 – 49		Cop car
			50 – 59		Golden Amber		50 – 59		Fireworks
			60 – 69		Light Red		60 – 69		Lightning
			70 – 79		No Color Pink		70 – 79		Paparazzi
			80 – 89		Middle Rose		80 – 89		Strobe
			90 – 99		Light Rose Purple		90 – 99		Television
			100 – 109		Surprise Pink		100 – 109		Circular
			110 – 119		No Color Blue		110 – 119		(Only for PIX mode)
			120 – 129		Daylight Blue		120 – 129		Vertical
			130 – 139		Primary Blue		130 – 139		(Only for PIX mode)
			140 – 149		Moss Green		140 – 255		Horizontal
			150 – 159		Blue Green				(Only for PIX mode)
			160 – 169		Gel 1				Diagonal
			170 – 179		Gel 2				(Only for PIX mode)
			180 – 189		Gel 3				Reserved for future use
			190 – 199		Gel 4				
			200 – 209		Gel 5				
			210 – 255		Reserved				
4	5-6	CCT	0 – 99 100 – 255		3200K 6500K				
		ICTRGBW				ICTxy			
8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range	Function	8-bit/16-bit Value		Range
3	4-5	CCT	0 – 255	0 – 65,535	2000K – 10000K	CCT	0 – 255	0 – 65,535	2000K – 10000K
4	6-7	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
5	8-9	INT Red	0 – 255	0 – 65,535	0% – 100%	x	0 – 255	0 – 65,535	0.0 – 0.8
6	10-11	INT Green	0 – 255	0 – 65,535	0% – 100%	y	0 – 255	0 – 65,535	0.0 – 0.8
7	12-13	INT Blue	0 – 255	0 – 65,535	0% – 100%	Reserved	TBD		
8	14-15	INT White	0 – 255	0 – 65,535	0% – 100%				
9	-	Reserved	TBD						
		CIExy							
8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value		Range				
3	4-5	x	0 – 255	0 – 65,535	0.0 – 0.8				
4	6-7	y	0 – 255	0 – 65,535	0.0 – 0.8				

Mode 276 (8-bit) / Mode 277 (16-bit) : ALL MODES (continued 2)

		Candle			Fireworks			Television		
8-bit DMX	16-bit DMX	Function	8-bit/16-bit Value	Range	Function	8-bit/16-bit Value	Range	Function	8-bit/16-bit Value	Range
4	6-7	Color	0 - 9 10 - 19 20 - 29	Warmer Neutral Cooler	Color	0 - 9 10 - 19 20 - 29	Color White Color + White	Mode	0 - 9 10 - 19 20 - 29 30 - 39	Action Horror News Romance
5	8-9	Speed	0 - 9 10 - 19 20 - 29 30 - 39 40 - 49	Slowest Slower Medium Faster Fastest	Speed	0 - 9 10 - 19 20 - 29 30 - 39 40 - 49	Slowest Slower Medium Faster Fastest			
		Club Light			Lightning			Cop Car		
4	6-7	Color	0 - 9 10 - 19 20 - 29 30 - 39 40 - 49 50 - 59 60 - 69	Red Green Blue Cyan Magenta a Yellow All colors	Color	0 - 9 10 - 19 20 - 29	Warmer Neutral Cooler	Color	0 - 9 10 - 19 20 - 29 30 - 39 40 - 49 50 - 59 60 - 69 70 - 79 80 - 89 90 - 99 100 - 109	B (Blue) R (Red) A (Amber) W (White) RB RA BA BW AW RBW BRA
5	8-9	Speed	0 - 9 10 - 19 20 - 29 30 - 39 40 - 49	Slowest Slower Medium Faster Fastest	Speed	0 - 9 10 - 19 20 - 29 30 - 39 40 - 49	Slowest Slower Medium Faster Fastest	Flash Pattern	0 - 9 10 - 19 20 - 29 30 - 39	Single Double Quad Quint
		Color Chase			Paparazzi			Strobe		
4	6-7	Saturation	0 - 255/ 0 - 65,535	0% -100%	Color	0 - 9 10 - 19 20 - 29	Warmer Neutral Cooler	Hue	0 - 255 / 0 - 65,535	0 - 360°
5	8-9	Speed	0 - 9 10 - 19 20 - 29 30 - 39 40 - 49	Slowest Slower Medium Faster Fastest	Speed	0 - 9 10 - 19 20 - 29 30 - 39 40 - 49	Slowest Slower Medium Faster Fastest	Saturation	0 - 255 / 0 - 65,535	0% - 100%
6	10-11							Speed	0 - 9 10 - 19 20 - 29 30 - 39 40 - 49	Slowest Slower Medium Faster Fastest

Mode 217 (8-bit) / Mode 220 (16-bit) : MOTO PXL4 CCTHSI

8-bit DMX	16-bit DMX	Pixel	Function	8-bit/16-bit Value		Range
1	1-2	1	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4		CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8		Crossfade	0 - 255	0 - 65,535	0% - 100%
5	9-10		Hue	0 - 255	0 - 65,535	0° - 360°
6	11-12		Saturation	0 - 255	0 - 65,535	0% - 100%
7	13-14	2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
8	15-16		CCT	0 - 255	0 - 65,535	2000K - 10000K
9	17-18		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
10	19-20		Crossfade	0 - 255	0 - 65,535	0% - 100%
11	21-22		Hue	0 - 255	0 - 65,535	0° - 360°
12	23-24		Saturation	0 - 255	0 - 65,535	0% - 100%
13	25-26	3	Master Intensity	0 - 255	0 - 65,535	0% - 100%
14	27-28		CCT	0 - 255	0 - 65,535	2000K - 10000K
15	29-30		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
16	31-32		Crossfade	0 - 255	0 - 65,535	0% - 100%
17	33-34		Hue	0 - 255	0 - 65,535	0° - 360°
18	35-36		Saturation	0 - 255	0 - 65,535	0% - 100%
19	37-38	4	Master Intensity	0 - 255	0 - 65,535	0% - 100%
20	39-40		CCT	0 - 255	0 - 65,535	2000K - 10000K
21	41-42		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
22	43-44		Crossfade	0 - 255	0 - 65,535	0% - 100%
23	45-46		Hue	0 - 255	0 - 65,535	0° - 360°
24	47-48		Saturation	0 - 255	0 - 65,535	0% - 100%
25	49		Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
26-27	50-51		PAN	0 - 65,535		-270° - +270°
28-29	52-53		TILT	0 - 65,535		-150° - +150°
30-31	54-55		ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
32	56		Control	See control table		
33	57		Reserved	TBD		

Mode 218 (8-bit) / Mode 221 (16-bit) : MOTO PXL4 CCTRGBW

8-bit DMX	16-bit DMX	Pixel	Function	8-bit/16-bit Value		Range
1	1-2	1	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4		CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8		Crossfade	0 - 255	0 - 65,535	0% - 100%
5	9-10		Intensity Red	0 - 255	0 - 65,535	0% - 100%
6	11-12		Intensity Green	0 - 255	0 - 65,535	0% - 100%
7	13-14		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
8	15-16		Intensity White	0 - 255	0 - 65,535	0% - 100%
9	17-18	2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
10	19-20		CCT	0 - 255	0 - 65,535	2000K - 10000K
11	21-22		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
12	23-24		Crossfade	0 - 255	0 - 65,535	0% - 100%
13	25-26		Intensity Red	0 - 255	0 - 65,535	0% - 100%
14	27-28		Intensity Green	0 - 255	0 - 65,535	0% - 100%
15	29-30		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
16	31-32		Intensity White	0 - 255	0 - 65,535	0% - 100%
17	33-34	3	Master Intensity	0 - 255	0 - 65,535	0% - 100%
18	35-36		CCT	0 - 255	0 - 65,535	2000K - 10000K
19	37-38		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
20	39-40		Crossfade	0 - 255	0 - 65,535	0% - 100%
21	41-42		Intensity Red	0 - 255	0 - 65,535	0% - 100%
22	43-44		Intensity Green	0 - 255	0 - 65,535	0% - 100%
23	45-46		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
24	47-48		Intensity White	0 - 255	0 - 65,535	0% - 100%
25	49-50	4	Master Intensity	0 - 255	0 - 65,535	0% - 100%
26	51-52		CCT	0 - 255	0 - 65,535	2000K - 10000K
27	53-54		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
28	55-56		Crossfade	0 - 255	0 - 65,535	0% - 100%
29	57-58		Intensity Red	0 - 255	0 - 65,535	0% - 100%
30	59-60		Intensity Green	0 - 255	0 - 65,535	0% - 100%
31	61-62		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
32	63-64		Intensity White	0 - 255	0 - 65,535	0% - 100%

Mode 218 (8-bit) / Mode 221 (16-bit) : MOTO PXL4 CCTRGBW

8-bit DMX	16-bit DMX	Pixel	Function	8-bit/16-bit Value	Range
33	65		Strobe Frequency	0 - 9 10 - 255	Strobe off 1Hz - 25Hz
34-35	66-67		PAN	0 - 65,535	-270° - +270°
36-37	68-69		TILT	0 - 65,535	-150° - +150°
38-39	70-71		ZOOM (Not Supported)	0 - 65,535	0 - 100 (%)
40	72		Control	See control table	
41	73		Reserved	TBD	

Mode 219 (8-bit) / Mode 222 (16-bit) : MOTO PXL4 CIExy

8-bit DMX	16-bit DMX	Pixel	Function	8-bit/16-bit Value		Range
1	1-2	1	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4		x	0 - 255	0 - 65,535	0.0 - 0.8
3	5-6		y	0 - 255	0 - 65,535	0.0 - 0.8
4	7-8	2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
5	9-10		x	0 - 255	0 - 65,535	0.0 - 0.8
6	11-12		y	0 - 255	0 - 65,535	0.0 - 0.8
7	13-14	3	Master Intensity	0 - 255	0 - 65,535	0% - 100%
8	15-16		x	0 - 255	0 - 65,535	0.0 - 0.8
9	17-18		y	0 - 255	0 - 65,535	0.0 - 0.8
10	19-20	4	Master Intensity	0 - 255	0 - 65,535	0% - 100%
11	21-22		x	0 - 255	0 - 65,535	0.0 - 0.8
12	23-24		y	0 - 255	0 - 65,535	0.0 - 0.8
13	25		Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
14-15	26-27		PAN	0 - 65,535		-270° - +270°
16-17	28-29		TILT	0 - 65,535		-150° - +150°
18-19	30-31		ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
20	32		Control	See control table		
21	33		Reserved	TBD		

Mode 280 (8-bit) / Mode 284 (16-bit) : MOTO PXL4 CCTxy

8-bit DMX	16-bit DMX	Pixel	Function	8-bit/16-bit Value		Range
1	1-2	1	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4		CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8		Crossfade	0 - 255	0 - 65,535	0% - 100%
5	9-10		x	0 - 255	0 - 65,535	0.0 - 0.8
6	11-12		y	0 - 255	0 - 65,535	0.0 - 0.8
7	13-14	2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
8	15-16		CCT	0 - 255	0 - 65,535	2000K - 10000K
9	17-18		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
10	19-20		Crossfade	0 - 255	0 - 65,535	0% - 100%
11	21-22		x	0 - 255	0 - 65,535	0.0 - 0.8
12	23-24		y	0 - 255	0 - 65,535	0.0 - 0.8
13	25-26	3	Master Intensity	0 - 255	0 - 65,535	0% - 100%
14	27-28		CCT	0 - 255	0 - 65,535	2000K - 10000K
15	29-30		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
16	31-32		Crossfade	0 - 255	0 - 65,535	0% - 100%
17	33-34		x	0 - 255	0 - 65,535	0.0 - 0.8
18	35-36		y	0 - 255	0 - 65,535	0.0 - 0.8
19	37-38	4	Master Intensity	0 - 255	0 - 65,535	0% - 100%
20	39-40		CCT	0 - 255	0 - 65,535	2000K - 10000K
21	41-42		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
22	43-44		Crossfade	0 - 255	0 - 65,535	0% - 100%
23	45-46		x	0 - 255	0 - 65,535	0.0 - 0.8
24	47-48		y	0 - 255	0 - 65,535	0.0 - 0.8
25	49		Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
26-27	50-51		PAN	0 - 65,535		-270° - +270°
28-29	52-53		TILT	0 - 65,535		-150° - +150°
30-31	54-55		ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
32	56		Control	See control table		
33	57		Reserved	TBD		

Mode 281 (8-bit) / Mode 285 (16-bit) : MOTO PXL4 ICTHS

8-bit DMX	16-bit DMX	Pixel	Function	8-bit/16-bit Value		Range
1	1-2	1	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4		CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8		Hue	0 - 255	0 - 65,535	0° - 360°
5	9-10		Saturation	0 - 255	0 - 65,535	0% - 100%
6	11-12	2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
7	13-14		CCT	0 - 255	0 - 65,535	2000K - 10000K
8	15-16		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
9	17-18		Hue	0 - 255	0 - 65,535	0° - 360°
10	19-20		Saturation	0 - 255	0 - 65,535	0% - 100%
11	21-22	3	Master Intensity	0 - 255	0 - 65,535	0% - 100%
12	23-24		CCT	0 - 255	0 - 65,535	2000K - 10000K
13	25-26		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
14	27-28		Hue	0 - 255	0 - 65,535	0° - 360°
15	29-30		Saturation	0 - 255	0 - 65,535	0% - 100%
16	31-32	4	Master Intensity	0 - 255	0 - 65,535	0% - 100%
17	33-34		CCT	0 - 255	0 - 65,535	2000K - 10000K
18	35-36		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
19	37-38		Hue	0 - 255	0 - 65,535	0° - 360°
20	39-40		Saturation	0 - 255	0 - 65,535	0% - 100%
21	41		Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
22-23	42-43		PAN	0 - 65,535		-270° - +270°
24-25	44-45		TILT	0 - 65,535		-150° - +150°
26-27	46-47		ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
28	48		Control	See control table		
29	49		Reserved	TBD		

Mode 282 (8-bit) / Mode 286 (16-bit) : MOTO PXL4 ICTRGBW

8-bit DMX	16-bit DMX	Pixel	Function	8-bit/16-bit Value		Range
1	1-2	1	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4		CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8		Intensity Red	0 - 255	0 - 65,535	0% - 100%
5	9-10		Intensity Green	0 - 255	0 - 65,535	0% - 100%
6	11-12		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
7	13-14		Intensity White	0 - 255	0 - 65,535	0% - 100%
8	15-16	2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
9	17-18		CCT	0 - 255	0 - 65,535	2000K - 10000K
10	19-20		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
11	21-22		Intensity Red	0 - 255	0 - 65,535	0% - 100%
12	23-24		Intensity Green	0 - 255	0 - 65,535	0% - 100%
13	25-26		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
14	27-28		Intensity White	0 - 255	0 - 65,535	0% - 100%
15	29-30	3	Master Intensity	0 - 255	0 - 65,535	0% - 100%
16	31-32		CCT	0 - 255	0 - 65,535	2000K - 10000K
17	33-34		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
18	35-36		Intensity Red	0 - 255	0 - 65,535	0% - 100%
19	37-38		Intensity Green	0 - 255	0 - 65,535	0% - 100%
20	39-40		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
21	41-42		Intensity White	0 - 255	0 - 65,535	0% - 100%
22	43-44	4	Master Intensity	0 - 255	0 - 65,535	0% - 100%
23	45-46		CCT	0 - 255	0 - 65,535	2000K - 10000K
24	47-48		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
25	49-50		Intensity Red	0 - 255	0 - 65,535	0% - 100%
26	51-52		Intensity Green	0 - 255	0 - 65,535	0% - 100%
27	53-54		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
28	55-56		Intensity White	0 - 255	0 - 65,535	0% - 100%

Mode 282 (8-bit) / Mode 286 (16-bit) : MOTO PXL4 ICTRGBW

8-bit DMX	16-bit DMX	Pixel	Function	8-bit/16-bit Value	Range
29	57		Strobe Frequency	0 - 9 10 - 255	Strobe off 1Hz - 25Hz
30-31	58-59		PAN	0 - 65,535	-270° - +270°
32-33	60-61		TILT	0 - 65,535	-150° - +150°
34-35	62-63		ZOOM (Not Supported)	0 - 65,535	0 - 100 (%)
36	64		Control	See control table	
37	65		Reserved	TBD	

Mode 283 (8-bit) / Mode 287 (16-bit) : MOTO PXL4 ICTxy

8-bit DMX	16-bit DMX	Pixel	Function	8-bit/16-bit Value		Range
1	1-2	1	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4		CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8		x	0 - 255	0 - 65,535	0.0 - 0.8
5	9-10		y	0 - 255	0 - 65,535	0.0 - 0.8
6	11-12	2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
7	13-14		CCT	0 - 255	0 - 65,535	2000K - 10000K
8	15-16		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
9	17-18		x	0 - 255	0 - 65,535	0.0 - 0.8
10	19-20		y	0 - 255	0 - 65,535	0.0 - 0.8
11	21-22	3	Master Intensity	0 - 255	0 - 65,535	0% - 100%
12	23-24		CCT	0 - 255	0 - 65,535	2000K - 10000K
13	25-26		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
14	27-28		x	0 - 255	0 - 65,535	0.0 - 0.8
15	29-30		y	0 - 255	0 - 65,535	0.0 - 0.8
16	31-32	4	Master Intensity	0 - 255	0 - 65,535	0% - 100%
17	33-34		CCT	0 - 255	0 - 65,535	2000K - 10000K
18	35-36		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
19	37-38		x	0 - 255	0 - 65,535	0.0 - 0.8
20	39-40		y	0 - 255	0 - 65,535	0.0 - 0.8
21	41		Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
22-23	42-43		PAN	0 - 65,535		-270° - +270°
24-25	44-45		TILT	0 - 65,535		-150° - +150°
26-27	46-47		ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
28	48		Control	See control table		
29	49		Reserved	TBD		

Mode 288 (8-bit) / Mode 292 (16-bit) : MOTO PXL4 EZ CCT

8-bit DMX	16-bit DMX	Pixel	Function	8-bit/16-bit Value		Range
1	1-2	1	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4		CCT	0 - 255	0 - 65,535	2000K - 10000K
3	5-6		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	7-8	2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
5	9-10		CCT	0 - 255	0 - 65,535	2000K - 10000K
6	11-12		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
7	13-14	3	Master Intensity	0 - 255	0 - 65,535	0% - 100%
8	15-16		CCT	0 - 255	0 - 65,535	2000K - 10000K
9	17-18		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
10	19-20	4	Master Intensity	0 - 255	0 - 65,535	0% - 100%
11	21-22		CCT	0 - 255	0 - 65,535	2000K - 10000K
12	23-24		Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
13-14	25-26		PAN	0 - 65,535		-270° - +270°
15-16	27-28		TILT	0 - 65,535		-150° - +150°
17-18	29-30		ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 289 (8-bit) / Mode 293 (16-bit) : MOTO PXL4 EZ HSI

8-bit DMX	16-bit DMX	Pixel	Function	8-bit/16-bit Value		Range
1	1-2	1	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4		Hue	0 - 255	0 - 65,535	0° - 360°
3	5-6		Saturation	0 - 255	0 - 65,535	0% - 100%
4	7-8	2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
5	9-10		Hue	0 - 255	0 - 65,535	0° - 360°
6	11-12		Saturation	0 - 255	0 - 65,535	0% - 100%
7	13-14	3	Master Intensity	0 - 255	0 - 65,535	0% - 100%
8	15-16		Hue	0 - 255	0 - 65,535	0° - 360°
9	17-18		Saturation	0 - 255	0 - 65,535	0% - 100%
10	19-20	4	Master Intensity	0 - 255	0 - 65,535	0% - 100%
11	21-22		Hue	0 - 255	0 - 65,535	0° - 360°
12	23-24		Saturation	0 - 255	0 - 65,535	0% - 100%
13-14	25-26		PAN	0 - 65,535		-270° - +270°
15-16	27-28		TILT	0 - 65,535		-150° - +150°
17-18	29-30		ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 290 (8-bit) / Mode 294 (16-bit) : MOTO PXL4 EZ RGBW

8-bit DMX	16-bit DMX	Pixel	Function	8-bit/16-bit Value		Range
1	1-2	1	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	3-4		Intensity Red	0 - 255	0 - 65,535	0% - 100%
3	5-6		Intensity Green	0 - 255	0 - 65,535	0% - 100%
4	7-8		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
5	9-10		Intensity White	0 - 255	0 - 65,535	0% - 100%
6	11-12	2	Master Intensity	0 - 255	0 - 65,535	0% - 100%
7	13-14		Intensity Red	0 - 255	0 - 65,535	0% - 100%
8	15-16		Intensity Green	0 - 255	0 - 65,535	0% - 100%
9	17-18		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
10	19-20		Intensity White	0 - 255	0 - 65,535	0% - 100%
11	21-22	3	Master Intensity	0 - 255	0 - 65,535	0% - 100%
12	23-24		Intensity Red	0 - 255	0 - 65,535	0% - 100%
13	25-26		Intensity Green	0 - 255	0 - 65,535	0% - 100%
14	27-28		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
15	29-30		Intensity White	0 - 255	0 - 65,535	0% - 100%
16	31-32	4	Master Intensity	0 - 255	0 - 65,535	0% - 100%
17	33-34		Intensity Red	0 - 255	0 - 65,535	0% - 100%
18	35-36		Intensity Green	0 - 255	0 - 65,535	0% - 100%
19	37-38		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
20	39-40		Intensity White	0 - 255	0 - 65,535	0% - 100%
21-22	41-42		PAN	0 - 65,535		-270° - +270°
23-24	43-44		TILT	0 - 65,535		-150° - +150°
25-26	45-46		ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 291 (8-bit) / Mode 295 (16-bit) : MOTO PXL4 EZ RGB

8-bit DMX	16-bit DMX	Pixel	Function	8-bit/16-bit Value		Range
1	1-2	1	Intensity Red	0 - 255	0 - 65,535	0% - 100%
2	3-4		Intensity Green	0 - 255	0 - 65,535	0% - 100%
3	5-6		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
4	7-8	2	Intensity Red	0 - 255	0 - 65,535	0% - 100%
5	9-10		Intensity Green	0 - 255	0 - 65,535	0% - 100%
6	11-12		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
7	13-14	3	Intensity Red	0 - 255	0 - 65,535	0% - 100%
8	15-16		Intensity Green	0 - 255	0 - 65,535	0% - 100%
9	17-18		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
10	19-20	4	Intensity Red	0 - 255	0 - 65,535	0% - 100%
11	21-22		Intensity Green	0 - 255	0 - 65,535	0% - 100%
12	23-24		Intensity Blue	0 - 255	0 - 65,535	0% - 100%
13-14	25-26		PAN	0 - 65,535		-270° - +270°
15-16	27-28		TILT	0 - 65,535		-150° - +150°
17-18	29-30		ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 300 (8-bit) / Mode 303 (16-bit) : MOTO PXL16 CCTHSI

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 1	Pixel 2	Pixel 1	Pixel 2				
1	7	1-2	13-14	Master Intensity	0 – 255	0 – 65,535	0% – 100%
2	8	3-4	15-16	CCT	0 – 255	0 – 65,535	2000K – 10000K
3	9	5-6	17-18	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	10	7-8	19-20	Crossfade	0 – 255	0 – 65,535	0% – 100%
5	11	9-10	21-22	Hue	0 – 255	0 – 65,535	0° – 360°
6	12	11-12	23-24	Saturation	0 – 255	0 – 65,535	0% – 100%
Pixel 3	Pixel 4	Pixel 3	Pixel 4				
13	19	25-26	37-38	Master Intensity	0 – 255	0 – 65,535	0% – 100%
14	20	27-28	39-40	CCT	0 – 255	0 – 65,535	2000K – 10000K
15	21	29-30	41-42	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
16	22	31-32	43-44	Crossfade	0 – 255	0 – 65,535	0% – 100%
17	23	33-34	45-46	Hue	0 – 255	0 – 65,535	0° – 360°
18	24	35-36	47-48	Saturation	0 – 255	0 – 65,535	0% – 100%
Pixel 5	Pixel 6	Pixel 5	Pixel 6				
25	31	49-50	61-62	Master Intensity	0 – 255	0 – 65,535	0% – 100%
26	32	51-52	63-64	CCT	0 – 255	0 – 65,535	2000K – 10000K
27	33	53-54	65-66	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
28	34	55-56	67-68	Crossfade	0 – 255	0 – 65,535	0% – 100%
29	35	57-58	69-70	Hue	0 – 255	0 – 65,535	0° – 360°
30	36	59-60	71-72	Saturation	0 – 255	0 – 65,535	0% – 100%
Pixel 7	Pixel 8	Pixel 7	Pixel 8				
37	43	73-74	85-86	Master Intensity	0 – 255	0 – 65,535	0% – 100%
38	44	75-76	87-88	CCT	0 – 255	0 – 65,535	2000K – 10000K
39	45	77-78	89-90	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
40	46	79-80	91-92	Crossfade	0 – 255	0 – 65,535	0% – 100%
41	47	81-82	93-94	Hue	0 – 255	0 – 65,535	0° – 360°
42	48	83-84	95-96	Saturation	0 – 255	0 – 65,535	0% – 100%
Pixel 9	Pixel 10	Pixel 9	Pixel 10				
49	55	97-98	109-110	Master Intensity	0 – 255	0 – 65,535	0% – 100%
50	56	99-100	111-112	CCT	0 – 255	0 – 65,535	2000K – 10000K
51	57	101-102	113-114	Green Adjust	0 – 9	0 – 9	Neutral (0)

Mode 300 (8-bit) / Mode 303 (16-bit) : MOTO PXL16 CCTHSI

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
					10 – 255	10 – 65,535	Full magenta ~ Full green (-1.0 ~ +1.0)
52	58	103-104	115-116	Crossfade	0 – 255	0 – 65,535	0% – 100%
53	59	105-106	117-118	Hue	0 – 255	0 – 65,535	0° – 360°
54	60	107-108	119-120	Saturation	0 – 255	0 – 65,535	0% – 100%
Pixel 11	Pixel 12	Pixel 11	Pixel 12				
61	67	121-122	133-134	Master Intensity	0 – 255	0 – 65,535	0% – 100%
62	68	123-124	135-136	CCT	0 – 255	0 – 65,535	2000K – 10000K
63	69	125-126	137-138	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
64	70	127-128	139-140	Crossfade	0 – 255	0 – 65,535	0% – 100%
65	71	129-130	141-142	Hue	0 – 255	0 – 65,535	0° – 360°
66	72	131-132	143-144	Saturation	0 – 255	0 – 65,535	0% – 100%
Pixel 13	Pixel 14	Pixel 13	Pixel 14				
73	79	145-146	157-158	Master Intensity	0 – 255	0 – 65,535	0% – 100%
74	80	147-148	159-160	CCT	0 – 255	0 – 65,535	2000K – 10000K
75	81	149-150	161-162	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
76	82	151-152	163-164	Crossfade	0 – 255	0 – 65,535	0% – 100%
77	83	153-154	165-166	Hue	0 – 255	0 – 65,535	0° – 360°
78	84	155-156	167-168	Saturation	0 – 255	0 – 65,535	0% – 100%
Pixel 15	Pixel 16	Pixel 15	Pixel 16				
85	91	169-170	181-182	Master Intensity	0 – 255	0 – 65,535	0% – 100%
86	92	171-172	183-184	CCT	0 – 255	0 – 65,535	2000K – 10000K
87	93	173-174	185-186	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
88	94	175-176	187-188	Crossfade	0 – 255	0 – 65,535	0% – 100%
89	95	177-178	189-190	Hue	0 – 255	0 – 65,535	0° – 360°
90	96	179-180	191-192	Saturation	0 – 255	0 – 65,535	0% – 100%
97		193		Strobe Frequency	0 – 9 10 – 255		Strobe off 1Hz - 25Hz
98-99		194-195		PAN	0 – 65,535		-270° – +270°
100-101		196-197		TILT	0 – 65,535		-150° – +150°
102-103		198-199		ZOOM (Not Supported)	0 – 65,535		0 – 100 (%)
104		200		Control	See <u>control table</u>		
105		201		Reserved	TBD		

Mode 301 (8-bit) / Mode 304 (16-bit) : MOTO PXL16 CCTRGBW

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 1	Pixel 2	Pixel 1	Pixel 2				
1	9	1-2	17-18	Master Intensity	0 – 255	0 – 65,535	0% – 100%
2	10	3-4	19-20	CCT	0 – 255	0 – 65,535	2000K – 10000K
3	11	5-6	21-22	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	12	7-8	23-24	Crossfade	0 – 255	0 – 65,535	0% – 100%
5	13	9-10	25-26	Intensity Red	0 – 255	0 – 65,535	0% – 100%
6	14	11-12	27-28	Intensity Green	0 – 255	0 – 65,535	0% – 100%
7	15	13-14	29-30	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
8	16	15-16	31-32	Intensity White	0 – 255	0 – 65,535	0% – 100%
Pixel 3	Pixel 4	Pixel 3	Pixel 4				
17	25	33-34	49-50	Master Intensity	0 – 255	0 – 65,535	0% – 100%
18	26	35-36	51-52	CCT	0 – 255	0 – 65,535	2000K – 10000K
19	27	37-38	53-54	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
20	28	39-40	55-56	Crossfade	0 – 255	0 – 65,535	0% – 100%
21	29	41-42	57-58	Intensity Red	0 – 255	0 – 65,535	0% – 100%
22	30	43-44	59-60	Intensity Green	0 – 255	0 – 65,535	0% – 100%
23	31	45-46	61-62	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
24	32	47-48	63-64	Intensity White	0 – 255	0 – 65,535	0% – 100%
Pixel 5	Pixel 6	Pixel 5	Pixel 6				
33	41	65-66	81-82	Master Intensity	0 – 255	0 – 65,535	0% – 100%
34	42	67-68	83-84	CCT	0 – 255	0 – 65,535	2000K – 10000K
35	43	69-70	85-86	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
36	44	71-72	87-88	Crossfade	0 – 255	0 – 65,535	0% – 100%
37	45	73-74	89-90	Intensity Red	0 – 255	0 – 65,535	0% – 100%
38	46	75-76	91-92	Intensity Green	0 – 255	0 – 65,535	0% – 100%
39	47	77-78	93-94	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
40	48	79-80	95-96	Intensity White	0 – 255	0 – 65,535	0% – 100%

Mode 301 (8-bit) / Mode 304 (16-bit) : MOTO PXL16 CCTRGBW

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 7	Pixel 8	Pixel 7	Pixel 8				
49	57	97-98	113-114	Master Intensity	0 – 255	0 – 65,535	0% – 100%
50	58	99-100	115-116	CCT	0 – 255	0 – 65,535	2000K – 10000K
51	59	101-102	117-118	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
52	60	103-104	119-120	Crossfade	0 – 255	0 – 65,535	0% – 100%
53	61	105-106	121-122	Intensity Red	0 – 255	0 – 65,535	0% – 100%
54	62	107-108	123-124	Intensity Green	0 – 255	0 – 65,535	0% – 100%
55	63	109-110	125-126	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
56	64	111-112	127-128	Intensity White	0 – 255	0 – 65,535	0% – 100%
Pixel 9	Pixel 10	Pixel 9	Pixel 10				
65	73	129-130	145-146	Master Intensity	0 – 255	0 – 65,535	0% – 100%
66	74	131-132	147-148	CCT	0 – 255	0 – 65,535	2000K – 10000K
67	75	133-134	149-150	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
68	76	135-136	151-152	Crossfade	0 – 255	0 – 65,535	0% – 100%
69	77	137-138	153-154	Intensity Red	0 – 255	0 – 65,535	0% – 100%
70	78	139-140	155-156	Intensity Green	0 – 255	0 – 65,535	0% – 100%
71	79	141-142	157-158	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
72	80	143-144	159-160	Intensity White	0 – 255	0 – 65,535	0% – 100%
Pixel 11	Pixel 12	Pixel 11	Pixel 12				
81	89	161-162	177-178	Master Intensity	0 – 255	0 – 65,535	0% – 100%
82	90	163-164	179-180	CCT	0 – 255	0 – 65,535	2000K – 10000K
83	91	165-166	181-182	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
84	92	167-168	183-184	Crossfade	0 – 255	0 – 65,535	0% – 100%
85	93	169-170	185-186	Intensity Red	0 – 255	0 – 65,535	0% – 100%
86	94	171-172	187-188	Intensity Green	0 – 255	0 – 65,535	0% – 100%
87	95	173-174	189-190	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
88	96	175-176	191-192	Intensity White	0 – 255	0 – 65,535	0% – 100%

Mode 301 (8-bit) / Mode 304 (16-bit) : MOTO PXL16 CCTRGBW

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 13	Pixel 14	Pixel 13	Pixel 14				
97	105	193-194	209-210	Master Intensity	0 – 255	0 – 65,535	0% – 100%
98	106	195-196	211-212	CCT	0 – 255	0 – 65,535	2000K – 10000K
99	107	197-198	213-214	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
100	108	199-200	215-216	Crossfade	0 – 255	0 – 65,535	0% – 100%
101	109	201-202	217-218	Intensity Red	0 – 255	0 – 65,535	0% – 100%
102	110	203-204	219-220	Intensity Green	0 – 255	0 – 65,535	0% – 100%
103	111	205-206	221-222	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
104	112	207-208	223-224	Intensity White	0 – 255	0 – 65,535	0% – 100%
Pixel 15	Pixel 16	Pixel 15	Pixel 16				
113	121	225-226	241-242	Master Intensity	0 – 255	0 – 65,535	0% – 100%
114	122	227-228	243-244	CCT	0 – 255	0 – 65,535	2000K – 10000K
115	123	229-230	245-246	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
116	124	231-232	247-248	Crossfade	0 – 255	0 – 65,535	0% – 100%
117	125	233-234	249-250	Intensity Red	0 – 255	0 – 65,535	0% – 100%
118	126	235-236	251-252	Intensity Green	0 – 255	0 – 65,535	0% – 100%
119	127	237-238	253-254	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
120	128	239-240	255-256	Intensity White	0 – 255	0 – 65,535	0% – 100%
129		257		Strobe Frequency	0 – 9 10 – 255		Strobe off 1Hz - 25Hz
130-131		258-259		PAN	0 – 65,535		-270° – +270°
132-133		260-261		TILT	0 – 65,535		-150° – +150°
134-135		262-263		ZOOM (Not Supported)	0 – 65,535		0 – 100 (%)
136		264		Control	See <u>control table</u>		
137		265		Reserved	TBD		

Mode 302 (8-bit) / Mode 305 (16-bit) : MOTO PXL16 CIExy

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 1	Pixel 2	Pixel 1	Pixel 2				
1	4	1-2	7-8	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	5	3-4	9-10	x	0 - 255	0 - 65,535	0.0 - 0.8
3	6	5-6	11-12	y	0 - 255	0 - 65,535	0.0 - 0.8
Pixel 3	Pixel 4	Pixel 3	Pixel 4				
7	10	13-14	19-20	Master Intensity	0 - 255	0 - 65,535	0% - 100%
8	11	15-16	21-22	x	0 - 255	0 - 65,535	0.0 - 0.8
9	12	17-18	23-24	y	0 - 255	0 - 65,535	0.0 - 0.8
Pixel 5	Pixel 6	Pixel 5	Pixel 6				
13	16	25-26	31-32	Master Intensity	0 - 255	0 - 65,535	0% - 100%
14	17	27-28	33-34	x	0 - 255	0 - 65,535	0.0 - 0.8
15	18	29-30	35-36	y	0 - 255	0 - 65,535	0.0 - 0.8
Pixel 7	Pixel 8	Pixel 7	Pixel 8				
19	22	37-38	43-44	Master Intensity	0 - 255	0 - 65,535	0% - 100%
20	23	39-40	45-46	x	0 - 255	0 - 65,535	0.0 - 0.8
21	24	41-42	47-48	y	0 - 255	0 - 65,535	0.0 - 0.8
Pixel 9	Pixel 10	Pixel 9	Pixel 10				
25	28	49-50	55-56	Master Intensity	0 - 255	0 - 65,535	0% - 100%
26	29	51-52	57-58	x	0 - 255	0 - 65,535	0.0 - 0.8
27	30	53-54	59-60	y	0 - 255	0 - 65,535	0.0 - 0.8
Pixel 11	Pixel 12	Pixel 11	Pixel 12				
31	34	61-62	67-68	Master Intensity	0 - 255	0 - 65,535	0% - 100%
32	35	63-64	69-70	x	0 - 255	0 - 65,535	0.0 - 0.8
33	36	65-66	71-72	y	0 - 255	0 - 65,535	0.0 - 0.8
Pixel 13	Pixel 14	Pixel 13	Pixel 14				
37	40	73-74	79-80	Master Intensity	0 - 255	0 - 65,535	0% - 100%
38	41	75-76	81-82	x	0 - 255	0 - 65,535	0.0 - 0.8
39	42	77-78	83-84	y	0 - 255	0 - 65,535	0.0 - 0.8
Pixel 15	Pixel 16	Pixel 15	Pixel 16				
43	46	85-86	91-92	Master Intensity	0 - 255	0 - 65,535	0% - 100%
44	47	87-88	93-94	x	0 - 255	0 - 65,535	0.0 - 0.8
45	48	89-90	95-96	y	0 - 255	0 - 65,535	0.0 - 0.8
49		97		Strobe Frequency	0 - 9 10 - 255		Strobe off 1Hz - 25Hz
50-51		98-99		PAN	0 - 65,535		-270° - +270°
52-53		100-101		TILT	0 - 65,535		-150° - +150°
54-55		102-103		ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)
56		104		Control	See control table		
57		105		Reserved	TBD		

Mode 306 (8-bit) / Mode 310 (16-bit) : MOTO PXL16 CCTxy

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 1	Pixel 2	Pixel 1	Pixel 2				
1	7	1-2	13-14	Master Intensity	0 – 255	0 – 65,535	0% – 100%
2	8	3-4	15-16	CCT	0 – 255	0 – 65,535	2000K – 10000K
3	9	5-6	17-18	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	10	7-8	19-20	Crossfade	0 – 255	0 – 65,535	0% – 100%
5	11	9-10	21-22	x	0 – 255	0 – 65,535	0.0 – 0.8
6	12	11-12	23-24	y	0 – 255	0 – 65,535	0.0 – 0.8
Pixel 3	Pixel 4	Pixel 3	Pixel 4				
13	19	25-26	37-38	Master Intensity	0 – 255	0 – 65,535	0% – 100%
14	20	27-28	39-40	CCT	0 – 255	0 – 65,535	2000K – 10000K
15	21	29-30	41-42	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
16	22	31-32	43-44	Crossfade	0 – 255	0 – 65,535	0% – 100%
17	23	33-34	45-46	x	0 – 255	0 – 65,535	0.0 – 0.8
18	24	35-36	47-48	y	0 – 255	0 – 65,535	0.0 – 0.8
Pixel 5	Pixel 6	Pixel 5	Pixel 6				
25	31	49-50	61-62	Master Intensity	0 – 255	0 – 65,535	0% – 100%
26	32	51-52	63-64	CCT	0 – 255	0 – 65,535	2000K – 10000K
27	33	53-54	65-66	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
28	34	55-56	67-68	Crossfade	0 – 255	0 – 65,535	0% – 100%
29	35	57-58	69-70	x	0 – 255	0 – 65,535	0.0 – 0.8
30	36	59-60	71-72	y	0 – 255	0 – 65,535	0.0 – 0.8
Pixel 7	Pixel 8	Pixel 7	Pixel 8				
37	43	73-74	85-86	Master Intensity	0 – 255	0 – 65,535	0% – 100%
38	44	75-76	87-88	CCT	0 – 255	0 – 65,535	2000K – 10000K
39	45	77-78	89-90	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
40	46	79-80	91-92	Crossfade	0 – 255	0 – 65,535	0% – 100%
41	47	81-82	93-94	x	0 – 255	0 – 65,535	0.0 – 0.8
42	48	83-84	95-96	y	0 – 255	0 – 65,535	0.0 – 0.8
Pixel 9	Pixel 10	Pixel 9	Pixel 10				
49	55	97-98	109-110	Master Intensity	0 – 255	0 – 65,535	0% – 100%
50	56	99-100	111-112	CCT	0 – 255	0 – 65,535	2000K – 10000K
51	57	101-102	113-114	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)

Mode 306 (8-bit) / Mode 310 (16-bit) : MOTO PXL16 CCTxy

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
52	58	103-104	115-116	Crossfade	0 – 255	0 – 65,535	0% – 100%
53	59	105-106	117-118	x	0 – 255	0 – 65,535	0.0 – 0.8
54	60	107-108	119-120	y	0 – 255	0 – 65,535	0.0 – 0.8
Pixel 11	Pixel 12	Pixel 11	Pixel 12				
61	67	121-122	133-134	Master Intensity	0 – 255	0 – 65,535	0% – 100%
62	68	123-124	135-136	CCT	0 – 255	0 – 65,535	2000K – 10000K
63	69	125-126	137-138	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
64	70	127-128	139-140	Crossfade	0 – 255	0 – 65,535	0% – 100%
65	71	129-130	141-142	x	0 – 255	0 – 65,535	0.0 – 0.8
66	72	131-132	143-144	y	0 – 255	0 – 65,535	0.0 – 0.8
Pixel 13	Pixel 14	Pixel 13	Pixel 14				
73	79	145-146	157-158	Master Intensity	0 – 255	0 – 65,535	0% – 100%
74	80	147-148	159-160	CCT	0 – 255	0 – 65,535	2000K – 10000K
75	81	149-150	161-162	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
76	82	151-152	163-164	Crossfade	0 – 255	0 – 65,535	0% – 100%
77	83	153-154	165-166	x	0 – 255	0 – 65,535	0.0 – 0.8
78	84	155-156	167-168	y	0 – 255	0 – 65,535	0.0 – 0.8
Pixel 15	Pixel 16	Pixel 15	Pixel 16				
85	91	169-170	181-182	Master Intensity	0 – 255	0 – 65,535	0% – 100%
86	92	171-172	183-184	CCT	0 – 255	0 – 65,535	2000K – 10000K
87	93	173-174	185-186	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
88	94	175-176	187-188	Crossfade	0 – 255	0 – 65,535	0% – 100%
89	95	177-178	189-190	x	0 – 255	0 – 65,535	0.0 – 0.8
90	96	179-180	191-192	y	0 – 255	0 – 65,535	0.0 – 0.8
97		193		Strobe Frequency	0 – 9 10 – 255		Strobe off 1Hz - 25Hz
98-99		194-195		PAN	0 – 65,535		-270° – +270°
100-101		196-197		TILT	0 – 65,535		-150° – +150°
102-103		198-199		ZOOM (Not Supported)	0 – 65,535		0 – 100 (%)
104		200		Control	See <u>control table</u>		
105		201		Reserved	TBD		

Mode 307 (8-bit) / Mode 311 (16-bit) : MOTO PXL16 ICTHS

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 1	Pixel 2	Pixel 1	Pixel 2				
1	6	1-2	11-12	Master Intensity	0 – 255	0 – 65,535	0% – 100%
2	7	3-4	13-14	CCT	0 – 255	0 – 65,535	2000K – 10000K
3	8	5-6	15-16	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	9	7-8	17-18	Hue	0 – 255	0 – 65,535	0° – 360°
5	10	9-10	19-20	Saturation	0 – 255	0 – 65,535	0% – 100%
Pixel 3	Pixel 4	Pixel 3	Pixel 4				
11	16	21-22	31-32	Master Intensity	0 – 255	0 – 65,535	0% – 100%
12	17	23-24	33-34	CCT	0 – 255	0 – 65,535	2000K – 10000K
13	18	25-26	35-36	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
14	19	27-28	37-38	Hue	0 – 255	0 – 65,535	0° – 360°
15	20	29-30	39-40	Saturation	0 – 255	0 – 65,535	0% – 100%
Pixel 5	Pixel 6	Pixel 5	Pixel 6				
21	26	41-42	51-52	Master Intensity	0 – 255	0 – 65,535	0% – 100%
22	27	43-44	53-54	CCT	0 – 255	0 – 65,535	2000K – 10000K
23	28	45-46	55-56	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
24	29	47-48	57-58	Hue	0 – 255	0 – 65,535	0° – 360°
25	30	49-50	59-60	Saturation	0 – 255	0 – 65,535	0% – 100%
Pixel 7	Pixel 8	Pixel 7	Pixel 8				
31	36	61-62	71-72	Master Intensity	0 – 255	0 – 65,535	0% – 100%
32	37	63-64	73-74	CCT	0 – 255	0 – 65,535	2000K – 10000K
33	38	65-66	75-76	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
34	39	67-68	77-78	Hue	0 – 255	0 – 65,535	0° – 360°
35	40	69-70	79-80	Saturation	0 – 255	0 – 65,535	0% – 100%
Pixel 9	Pixel 10	Pixel 9	Pixel 10				
41	46	81-82	91-92	Master Intensity	0 – 255	0 – 65,535	0% – 100%
42	47	83-84	93-94	CCT	0 – 255	0 – 65,535	2000K – 10000K
43	48	85-86	95-96	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
44	49	87-88	97-98	Hue	0 – 255	0 – 65,535	0° – 360°
45	50	89-90	99-100	Saturation	0 – 255	0 – 65,535	0% – 100%

Mode 307 (8-bit) / Mode 311 (16-bit) : MOTO PXL16 ICTHS

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 11	Pixel 12	Pixel 11	Pixel 12				
51	56	101-102	111-112	Master Intensity	0 – 255	0 – 65,535	0% – 100%
52	57	103-104	113-114	CCT	0 – 255	0 – 65,535	2000K – 10000K
53	58	105-106	115-116	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
54	59	107-108	117-118	Hue	0 – 255	0 – 65,535	0° – 360°
55	60	109-110	119-120	Saturation	0 – 255	0 – 65,535	0% – 100%
Pixel 13	Pixel 14	Pixel 13	Pixel 14				
61	66	121-122	131-132	Master Intensity	0 – 255	0 – 65,535	0% – 100%
62	67	123-124	133-134	CCT	0 – 255	0 – 65,535	2000K – 10000K
63	68	125-126	135-136	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
64	69	127-128	137-138	Hue	0 – 255	0 – 65,535	0° – 360°
65	70	129-130	139-140	Saturation	0 – 255	0 – 65,535	0% – 100%
Pixel 15	Pixel 16	Pixel 15	Pixel 16				
71	76	141-142	151-152	Master Intensity	0 – 255	0 – 65,535	0% – 100%
72	77	143-144	153-154	CCT	0 – 255	0 – 65,535	2000K – 10000K
73	78	145-146	155-156	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
74	79	147-148	157-158	Hue	0 – 255	0 – 65,535	0° – 360°
75	80	149-150	159-160	Saturation	0 – 255	0 – 65,535	0% – 100%
81		161		Strobe Frequency	0 – 9 10 – 255		Strobe off 1Hz - 25Hz
82-83		162-163		PAN	0 – 65,535		-270° – +270°
84-85		164-165		TILT	0 – 65,535		-150° – +150°
86-87		166-167		ZOOM (Not Supported)	0 – 65,535		0 – 100 (%)
88		168		Control	See <u>control table</u>		
89		169		Reserved	TBD		

Mode 308 (8-bit) / Mode 312 (16-bit) : MOTO PXL16 ICTRGBW

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 1	Pixel 2	Pixel 1	Pixel 2				
1	8	1-2	15-16	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	9	3-4	17-18	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	10	5-6	19-20	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	11	7-8	21-22	Intensity Red	0 - 255	0 - 65,535	0% - 100%
5	12	9-10	23-24	Intensity Green	0 - 255	0 - 65,535	0% - 100%
6	13	11-12	25-26	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
7	14	13-14	27-28	Intensity White	0 - 255	0 - 65,535	0% - 100%
Pixel 3	Pixel 4	Pixel 3	Pixel 4				
15	22	29-30	43-44	Master Intensity	0 - 255	0 - 65,535	0% - 100%
16	23	31-32	45-46	CCT	0 - 255	0 - 65,535	2000K - 10000K
17	24	33-34	47-48	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
18	25	35-36	49-50	Intensity Red	0 - 255	0 - 65,535	0% - 100%
19	26	37-38	51-52	Intensity Green	0 - 255	0 - 65,535	0% - 100%
20	27	39-40	53-54	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
21	28	41-42	55-56	Intensity White	0 - 255	0 - 65,535	0% - 100%
Pixel 5	Pixel 6	Pixel 5	Pixel 6				
29	36	57-58	71-72	Master Intensity	0 - 255	0 - 65,535	0% - 100%
30	37	59-60	73-74	CCT	0 - 255	0 - 65,535	2000K - 10000K
31	38	61-62	75-76	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
32	39	63-64	77-78	Intensity Red	0 - 255	0 - 65,535	0% - 100%
33	40	65-66	79-80	Intensity Green	0 - 255	0 - 65,535	0% - 100%
34	41	67-68	81-82	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
35	42	69-70	83-84	Intensity White	0 - 255	0 - 65,535	0% - 100%
Pixel 7	Pixel 8	Pixel 7	Pixel 8				
43	50	85-86	99-100	Master Intensity	0 - 255	0 - 65,535	0% - 100%
44	51	87-88	101-102	CCT	0 - 255	0 - 65,535	2000K - 10000K
45	52	89-90	103-104	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
46	53	91-92	105-106	Intensity Red	0 - 255	0 - 65,535	0% - 100%
47	54	93-94	107-108	Intensity Green	0 - 255	0 - 65,535	0% - 100%
48	55	95-96	109-110	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
49	56	97-98	111-112	Intensity White	0 - 255	0 - 65,535	0% - 100%
Pixel 9	Pixel 10	Pixel 9	Pixel 10				
57	64	113-114	127-128	Master Intensity	0 - 255	0 - 65,535	0% - 100%
58	65	115-116	129-130	CCT	0 - 255	0 - 65,535	2000K - 10000K
59	66	117-118	131-132	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)

Mode 308 (8-bit) / Mode 312 (16-bit) : MOTO PXL16 ICTRGBW

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
60	67	119-120	133-134	Intensity Red	0 - 255	0 - 65,535	0% - 100%
61	68	121-122	135-136	Intensity Green	0 - 255	0 - 65,535	0% - 100%
62	69	123-124	137-138	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
63	70	125-126	139-140	Intensity White	0 - 255	0 - 65,535	0% - 100%
Pixel 11	Pixel 12	Pixel 11	Pixel 12				
71	78	141-142	155-156	Master Intensity	0 - 255	0 - 65,535	0% - 100%
72	79	143-144	157-158	CCT	0 - 255	0 - 65,535	2000K - 10000K
73	80	145-146	159-160	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
74	81	147-148	161-162	Intensity Red	0 - 255	0 - 65,535	0% - 100%
75	82	149-150	163-164	Intensity Green	0 - 255	0 - 65,535	0% - 100%
76	83	151-152	165-166	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
77	84	153-154	167-168	Intensity White	0 - 255	0 - 65,535	0% - 100%
Pixel 13	Pixel 14	Pixel 13	Pixel 14				
85	92	169-170	183-184	Master Intensity	0 - 255	0 - 65,535	0% - 100%
86	93	171-172	185-186	CCT	0 - 255	0 - 65,535	2000K - 10000K
87	94	173-174	187-188	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
88	95	175-176	189-190	Intensity Red	0 - 255	0 - 65,535	0% - 100%
89	96	177-178	191-192	Intensity Green	0 - 255	0 - 65,535	0% - 100%
90	97	179-180	193-194	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
91	98	181-182	195-196	Intensity White	0 - 255	0 - 65,535	0% - 100%
Pixel 15	Pixel 16	Pixel 15	Pixel 16				
99	106	197-198	211-212	Master Intensity	0 - 255	0 - 65,535	0% - 100%
100	107	199-200	213-214	CCT	0 - 255	0 - 65,535	2000K - 10000K
101	108	201-202	215-216	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
102	109	203-204	217-218	Intensity Red	0 - 255	0 - 65,535	0% - 100%
103	110	205-206	219-220	Intensity Green	0 - 255	0 - 65,535	0% - 100%
104	111	207-208	221-222	Intensity Blue	0 - 255	0 - 65,535	0% - 100%
105	112	209-210	223-224	Intensity White	0 - 255	0 - 65,535	0% - 100%
113	225		Strobe Frequency		0 - 9 10 - 255		Strobe off 1Hz - 25Hz
114-115	226-227		PAN		0 - 65,535		-270° - +270°
116-117	228-229		TILT		0 - 65,535		-150° - +150°
118-119	230-231		ZOOM (Not Supported)		0 - 65,535		0 - 100 (%)
120	232		Control		See control table		
121	233		Reserved		TBD		

Mode 309 (8-bit) / Mode 313 (16-bit) : MOTO PXL16 ICTxy

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 1	Pixel 2	Pixel 1	Pixel 2				
1	6	1-2	11-12	Master Intensity	0 – 255	0 – 65,535	0% – 100%
2	7	3-4	13-14	CCT	0 – 255	0 – 65,535	2000K – 10000K
3	8	5-6	15-16	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
4	9	7-8	17-18	x	0 – 255	0 – 65,535	0.0 – 0.8
5	10	9-10	19-20	y	0 – 255	0 – 65,535	0.0 – 0.8
Pixel 3	Pixel 4	Pixel 3	Pixel 4				
11	16	21-22	31-32	Master Intensity	0 – 255	0 – 65,535	0% – 100%
12	17	23-24	33-34	CCT	0 – 255	0 – 65,535	2000K – 10000K
13	18	25-26	35-36	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
14	19	27-28	37-38	x	0 – 255	0 – 65,535	0.0 – 0.8
15	20	29-30	39-40	y	0 – 255	0 – 65,535	0.0 – 0.8
Pixel 5	Pixel 6	Pixel 5	Pixel 6				
21	26	41-42	51-52	Master Intensity	0 – 255	0 – 65,535	0% – 100%
22	27	43-44	53-54	CCT	0 – 255	0 – 65,535	2000K – 10000K
23	28	45-46	55-56	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
24	29	47-48	57-58	x	0 – 255	0 – 65,535	0.0 – 0.8
25	30	49-50	59-60	y	0 – 255	0 – 65,535	0.0 – 0.8
Pixel 7	Pixel 8	Pixel 7	Pixel 8				
31	36	61-62	71-72	Master Intensity	0 – 255	0 – 65,535	0% – 100%
32	37	63-64	73-74	CCT	0 – 255	0 – 65,535	2000K – 10000K
33	38	65-66	75-76	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
34	39	67-68	77-78	x	0 – 255	0 – 65,535	0.0 – 0.8
35	40	69-70	79-80	y	0 – 255	0 – 65,535	0.0 – 0.8
Pixel 9	Pixel 10	Pixel 9	Pixel 10				
41	46	81-82	91-92	Master Intensity	0 – 255	0 – 65,535	0% – 100%
42	47	83-84	93-94	CCT	0 – 255	0 – 65,535	2000K – 10000K
43	48	85-86	95-96	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
44	49	87-88	97-98	x	0 – 255	0 – 65,535	0.0 – 0.8
45	50	89-90	99-100	y	0 – 255	0 – 65,535	0.0 – 0.8

Mode 309 (8-bit) / Mode 313 (16-bit) : MOTO PXL16 ICTxy

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 11	Pixel 12	Pixel 11	Pixel 12				
51	56	101-102	111-112	Master Intensity	0 – 255	0 – 65,535	0% – 100%
52	57	103-104	113-114	CCT	0 – 255	0 – 65,535	2000K – 10000K
53	58	105-106	115-116	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
54	59	107-108	117-118	x	0 – 255	0 – 65,535	0.0 – 0.8
55	60	109-110	119-120	y	0 – 255	0 – 65,535	0.0 – 0.8
Pixel 13	Pixel 14	Pixel 13	Pixel 14				
61	66	121-122	131-132	Master Intensity	0 – 255	0 – 65,535	0% – 100%
62	67	123-124	133-134	CCT	0 – 255	0 – 65,535	2000K – 10000K
63	68	125-126	135-136	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
64	69	127-128	137-138	x	0 – 255	0 – 65,535	0.0 – 0.8
65	70	129-130	139-140	y	0 – 255	0 – 65,535	0.0 – 0.8
Pixel 15	Pixel 16	Pixel 15	Pixel 16				
71	76	141-142	151-152	Master Intensity	0 – 255	0 – 65,535	0% – 100%
72	77	143-144	153-154	CCT	0 – 255	0 – 65,535	2000K – 10000K
73	78	145-146	155-156	Green Adjust	0 – 9 10 – 255	0 – 9 10 – 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
74	79	147-148	157-158	x	0 – 255	0 – 65,535	0.0 – 0.8
75	80	149-150	159-160	y	0 – 255	0 – 65,535	0.0 – 0.8
81		161		Strobe Frequency	0 – 9 10 – 255		Strobe off 1Hz - 25Hz
82-83		162-163		PAN	0 – 65,535		-270° – +270°
84-85		164-165		TILT	0 – 65,535		-150° – +150°
86-87		166-167		ZOOM (Not Supported)	0 – 65,535		0 – 100 (%)
88		168		Control	See control table		
89		169		Reserved	TBD		

Mode 314 (8-bit) / Mode 318 (16-bit) : MOTO PXL16 EZ CCT

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 1	Pixel 2	Pixel 1	Pixel 2				
1	4	1-2	7-8	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	5	3-4	9-10	CCT	0 - 255	0 - 65,535	2000K - 10000K
3	6	5-6	11-12	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
Pixel 3	Pixel 4	Pixel 3	Pixel 4				
7	10	13-14	19-20	Master Intensity	0 - 255	0 - 65,535	0% - 100%
8	11	15-16	21-22	CCT	0 - 255	0 - 65,535	2000K - 10000K
9	12	17-18	23-24	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
Pixel 5	Pixel 6	Pixel 5	Pixel 6				
13	16	25-26	31-32	Master Intensity	0 - 255	0 - 65,535	0% - 100%
14	17	27-28	33-34	CCT	0 - 255	0 - 65,535	2000K - 10000K
15	18	29-30	35-36	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
Pixel 7	Pixel 8	Pixel 7	Pixel 8				
19	22	37-38	43-44	Master Intensity	0 - 255	0 - 65,535	0% - 100%
20	23	39-40	45-46	CCT	0 - 255	0 - 65,535	2000K - 10000K
21	24	41-42	47-48	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
Pixel 9	Pixel 10	Pixel 9	Pixel 10				
25	28	49-50	55-56	Master Intensity	0 - 255	0 - 65,535	0% - 100%
26	29	51-52	57-58	CCT	0 - 255	0 - 65,535	2000K - 10000K
27	30	53-54	59-60	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
Pixel 11	Pixel 12	Pixel 11	Pixel 12				
31	34	61-62	67-68	Master Intensity	0 - 255	0 - 65,535	0% - 100%
32	35	63-64	69-70	CCT	0 - 255	0 - 65,535	2000K - 10000K
33	36	65-66	71-72	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
Pixel 13	Pixel 14	Pixel 13	Pixel 14				
37	40	73-74	79-80	Master Intensity	0 - 255	0 - 65,535	0% - 100%
38	41	75-76	81-82	CCT	0 - 255	0 - 65,535	2000K - 10000K
39	42	77-78	83-84	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
Pixel 15	Pixel 16	Pixel 15	Pixel 16				
43	46	85-86	91-92	Master Intensity	0 - 255	0 - 65,535	0% - 100%
44	47	87-88	93-94	CCT	0 - 255	0 - 65,535	2000K - 10000K
45	48	89-90	95-96	Green Adjust	0 - 9 10 - 255	0 - 9 10 - 65,535	Neutral (0) Full magenta ~ Full green (-1.0 ~ +1.0)
49-50		97-98		PAN	0 - 65,535		-270° - +270°
51-52		99-100		TILT	0 - 65,535		-150° - +150°
53-54		101-102		ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 315 (8-bit) / Mode 319 (16-bit) : MOTO PXL16 EZ HSI

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 1	Pixel 2	Pixel 1	Pixel 2				
1	4	1-2	7-8	Master Intensity	0 - 255	0 - 65,535	0% - 100%
2	5	3-4	9-10	Hue	0 - 255	0 - 65,535	0° - 360°
3	6	5-6	11-12	Saturation	0 - 255	0 - 65,535	0% - 100%
Pixel 3	Pixel 4	Pixel 3	Pixel 4				
7	10	13-14	19-20	Master Intensity	0 - 255	0 - 65,535	0% - 100%
8	11	15-16	21-22	Hue	0 - 255	0 - 65,535	0° - 360°
9	12	17-18	23-24	Saturation	0 - 255	0 - 65,535	0% - 100%
Pixel 5	Pixel 6	Pixel 5	Pixel 6				
13	16	25-26	31-32	Master Intensity	0 - 255	0 - 65,535	0% - 100%
14	17	27-28	33-34	Hue	0 - 255	0 - 65,535	0° - 360°
15	18	29-30	35-36	Saturation	0 - 255	0 - 65,535	0% - 100%
Pixel 7	Pixel 8	Pixel 7	Pixel 8				
19	22	37-38	43-44	Master Intensity	0 - 255	0 - 65,535	0% - 100%
20	23	39-40	45-46	Hue	0 - 255	0 - 65,535	0° - 360°
21	24	41-42	47-48	Saturation	0 - 255	0 - 65,535	0% - 100%
Pixel 9	Pixel 10	Pixel 9	Pixel 10				
25	28	49-50	55-56	Master Intensity	0 - 255	0 - 65,535	0% - 100%
26	29	51-52	57-58	Hue	0 - 255	0 - 65,535	0° - 360°
27	30	53-54	59-60	Saturation	0 - 255	0 - 65,535	0% - 100%
Pixel 11	Pixel 12	Pixel 11	Pixel 12				
31	34	61-62	67-68	Master Intensity	0 - 255	0 - 65,535	0% - 100%
32	35	63-64	69-70	Hue	0 - 255	0 - 65,535	0° - 360°
33	36	65-66	71-72	Saturation	0 - 255	0 - 65,535	0% - 100%
Pixel 13	Pixel 14	Pixel 13	Pixel 14				
37	40	73-74	79-80	Master Intensity	0 - 255	0 - 65,535	0% - 100%
38	41	75-76	81-82	Hue	0 - 255	0 - 65,535	0° - 360°
39	42	77-78	83-84	Saturation	0 - 255	0 - 65,535	0% - 100%
Pixel 15	Pixel 16	Pixel 15	Pixel 16				
43	46	85-86	91-92	Master Intensity	0 - 255	0 - 65,535	0% - 100%
44	47	87-88	93-94	Hue	0 - 255	0 - 65,535	0° - 360°
45	48	89-90	95-96	Saturation	0 - 255	0 - 65,535	0% - 100%
49-50		97-98		PAN	0 - 65,535		-270° - +270°
51-52		99-100		TILT	0 - 65,535		-150° - +150°
53-54		101-102		ZOOM (Not Supported)	0 - 65,535		0 - 100 (%)

Mode 316 (8-bit) / Mode 320 (16-bit) : MOTO PXL16 EZ RGBW

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 1	Pixel 2	Pixel 1	Pixel 2				
1	6	1-2	11-12	Master Intensity	0 – 255	0 – 65,535	0% – 100%
2	7	3-4	13-14	Intensity Red	0 – 255	0 – 65,535	0% – 100%
3	8	5-6	15-16	Intensity Green	0 – 255	0 – 65,535	0% – 100%
4	9	7-8	17-18	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
5	10	9-10	19-20	Intensity White	0 – 255	0 – 65,535	0% – 100%
Pixel 3	Pixel 4	Pixel 3	Pixel 4				
11	16	21-22	31-32	Master Intensity	0 – 255	0 – 65,535	0% – 100%
12	17	23-24	33-34	Intensity Red	0 – 255	0 – 65,535	0% – 100%
13	18	25-26	35-36	Intensity Green	0 – 255	0 – 65,535	0% – 100%
14	19	27-28	37-38	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
15	20	29-30	39-40	Intensity White	0 – 255	0 – 65,535	0% – 100%
Pixel 5	Pixel 6	Pixel 5	Pixel 6				
21	26	41-42	51-52	Master Intensity	0 – 255	0 – 65,535	0% – 100%
22	27	43-44	53-54	Intensity Red	0 – 255	0 – 65,535	0% – 100%
23	28	45-46	55-56	Intensity Green	0 – 255	0 – 65,535	0% – 100%
24	29	47-48	57-58	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
25	30	49-50	59-60	Intensity White	0 – 255	0 – 65,535	0% – 100%
Pixel 7	Pixel 8	Pixel 7	Pixel 8				
31	36	61-62	71-72	Master Intensity	0 – 255	0 – 65,535	0% – 100%
32	37	63-64	73-74	Intensity Red	0 – 255	0 – 65,535	0% – 100%
33	38	65-66	75-76	Intensity Green	0 – 255	0 – 65,535	0% – 100%
34	39	67-68	77-78	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
35	40	69-70	79-80	Intensity White	0 – 255	0 – 65,535	0% – 100%
Pixel 9	Pixel 10	Pixel 9	Pixel 10				
41	46	81-82	91-92	Master Intensity	0 – 255	0 – 65,535	0% – 100%
42	47	83-84	93-94	Intensity Red	0 – 255	0 – 65,535	0% – 100%
43	48	85-86	95-96	Intensity Green	0 – 255	0 – 65,535	0% – 100%

Mode 316 (8-bit) / Mode 320 (16-bit) : MOTO PXL16 EZ RGBW

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
44	49	87-88	97-98	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
45	50	89-90	99-100	Intensity White	0 – 255	0 – 65,535	0% – 100%
Pixel 11	Pixel 12	Pixel 11	Pixel 12				
51	56	101-102	111-112	Master Intensity	0 – 255	0 – 65,535	0% – 100%
52	57	103-104	113-114	Intensity Red	0 – 255	0 – 65,535	0% – 100%
53	58	105-106	115-116	Intensity Green	0 – 255	0 – 65,535	0% – 100%
54	59	107-108	117-118	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
55	60	109-110	119-120	Intensity White	0 – 255	0 – 65,535	0% – 100%
Pixel 13	Pixel 14	Pixel 13	Pixel 14				
61	66	121-122	131-132	Master Intensity	0 – 255	0 – 65,535	0% – 100%
62	67	123-124	133-134	Intensity Red	0 – 255	0 – 65,535	0% – 100%
63	68	125-126	135-136	Intensity Green	0 – 255	0 – 65,535	0% – 100%
64	69	127-128	137-138	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
65	70	129-130	139-140	Intensity White	0 – 255	0 – 65,535	0% – 100%
Pixel 15	Pixel 16	Pixel 15	Pixel 16				
71	76	141-142	151-152	Master Intensity	0 – 255	0 – 65,535	0% – 100%
72	77	143-144	153-154	Intensity Red	0 – 255	0 – 65,535	0% – 100%
73	78	145-146	155-156	Intensity Green	0 – 255	0 – 65,535	0% – 100%
74	79	147-148	157-158	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
75	80	149-150	159-160	Intensity White	0 – 255	0 – 65,535	0% – 100%
81-82		161-162		PAN	0 – 65,535		-270° – +270°
83-84		163-164		TILT	0 – 65,535		-150° – +150°
85-86		165-166		ZOOM (Not Supported)	0 – 65,535		0 – 100 (%)

Mode 317 (8-bit) / Mode 321 (16-bit) : MOTO PXL16 EZ RGB

8-bit DMX		16-bit DMX		Function	8-bit/16-bit Value		Range
Pixel 1	Pixel 2	Pixel 1	Pixel 2				
1	4	1-2	7-8	Intensity Red	0 – 255	0 – 65,535	0% – 100%
2	5	3-4	9-10	Intensity Green	0 – 255	0 – 65,535	0% – 100%
3	6	5-6	11-12	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
Pixel 3	Pixel 4	Pixel 3	Pixel 4				
7	10	13-14	19-20	Intensity Red	0 – 255	0 – 65,535	0% – 100%
8	11	15-16	21-22	Intensity Green	0 – 255	0 – 65,535	0% – 100%
9	12	17-18	23-24	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
Pixel 5	Pixel 6	Pixel 5	Pixel 6				
13	16	25-26	31-32	Intensity Red	0 – 255	0 – 65,535	0% – 100%
14	17	27-28	33-34	Intensity Green	0 – 255	0 – 65,535	0% – 100%
15	18	29-30	35-36	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
Pixel 7	Pixel 8	Pixel 7	Pixel 8				
19	22	37-38	43-44	Intensity Red	0 – 255	0 – 65,535	0% – 100%
20	23	39-40	45-46	Intensity Green	0 – 255	0 – 65,535	0% – 100%
21	24	41-42	47-48	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
Pixel 9	Pixel 10	Pixel 9	Pixel 10				
25	28	49-50	55-56	Intensity Red	0 – 255	0 – 65,535	0% – 100%
26	29	51-52	57-58	Intensity Green	0 – 255	0 – 65,535	0% – 100%
27	30	53-54	59-60	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
Pixel 11	Pixel 12	Pixel 11	Pixel 12				
31	34	61-62	67-68	Intensity Red	0 – 255	0 – 65,535	0% – 100%
32	35	63-64	69-70	Intensity Green	0 – 255	0 – 65,535	0% – 100%
33	36	65-66	71-72	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
Pixel 13	Pixel 14	Pixel 13	Pixel 14				
37	40	73-74	79-80	Intensity Red	0 – 255	0 – 65,535	0% – 100%
38	41	75-76	81-82	Intensity Green	0 – 255	0 – 65,535	0% – 100%
39	42	77-78	83-84	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
Pixel 15	Pixel 16	Pixel 15	Pixel 16				
43	46	85-86	91-92	Intensity Red	0 – 255	0 – 65,535	0% – 100%
44	47	87-88	93-94	Intensity Green	0 – 255	0 – 65,535	0% – 100%
45	48	89-90	95-96	Intensity Blue	0 – 255	0 – 65,535	0% – 100%
49-50		97-98		PAN	0 – 65,535		-270° – +270°
51-52		99-100		TILT	0 – 65,535		-150° – +150°
53-54		101-102		ZOOM (Not Supported)	0 – 65,535		0 – 100 (%)